



EVERY DROP COUNTS

YI ZUO
Garden Watering
2020



WWW.KANZ.COM.TW

PROFILE

Established in 1988, YI ZUO ENT. CO., LTD. started as a manufacturer and exporter of household cleaning products. From 1998, we expanded the business into the field of lawn and garden products. With strong R&D ability, we devote ourselves exclusively to the innovation of products and gain a high reputation in the gardening industry. Quality product with competitive price is what we strive toward.

OUR COMPANY POLICIES ARE:

- ▶ Provide the product with innovative and ergonomic design.
- ▶ Invest in new product to meet market demand.
- ▶ Custom made product.
- ▶ Lead the market trend.

WE ARE PROVIDING

the following services to our customers all over the world:



DIVERSIFORM
SELECTIONS



HIGH QUALITY
PRODUCTS



COMPETITIVE
PRICE



ADVANCED
R&D ABILITY



CUSTOMER
SATISFACTION SERVICE

Looking into the future, we will do our best to enter into the Global business by attending international exhibitions, making high-quality products and inventing new products.

WE LOOK FORWARD TO YOUR TAKING PART IN OUR FUTURE





WT-138

- MECHANICAL WATER TIMER
- 3/4" TAP CONNECT
- SINGLE KNOB FOR EASY SETTING
- NO DELAY FUNCTION
- RUN TIME:
3/5/10/15/20/30/60MINS
- FREQUENCY:
12/24/48HRS/WEEK



WT-268

- MECHANICAL WATER TIMER
- 3/4" TAP CONNECT
- ROTARY KNOB FOR EASY SETTING
- NO DELAY FUNCTION
- PATENT BATTERY COMPARTMENT DESIGN
- RUN TIME:
1/3/5/10/15/20/30/60/90/120MINS
- FREQUENCY:
1/2/3/4/6/8/12/24/48/72HRS/WEEK



WT-258

- ELECTRONIC WATER TIMER
- 1" & 3/4" TAP CONNECT
- LCD DISPLAY
- MISTING FUNCTION
- RUN TIME:
1-239MINS
- FREQUENCY:
1/2/3/4/6/8/12HRS/1/2/3/4/5/6/7DAYS

HR-4160-A

- TAP-CONNECT HOSE RACK
- TOP WITH TAP ADAPTOR & QUICK CONNECTOR OPTIONAL
- TWO-SIDE OUTLETS WITH QUICK CONNECTOR & SHUT-OFF



HR-4160-B

- TAP-CONNECT HOSE RACK
- TOP WITH TAP ADAPTOR & QUICK CONNECTOR OPTIONAL
- TWO-SIDE OUTLETS WITH MALE THREAD & SHUT-OFF



HR-4160-C

- TAP-CONNECT HOSE RACK
- TOP WITH TAP ADAPTOR & QUICK CONNECTOR OPTIONAL
- TWO-SIDE OUTLETS WITH SHUT-OFF; QUICK CONNECTOR & MALE THREAD



HR-4160

- TAP-CONNECT HOSE RACK
- TOP WITH TAP ADAPTOR & QUICK CONNECTOR OPTIONAL
- TWO-SIDE OUTLETS WITH QUICK CONNECTOR & MALE THREAD



425FFH

- 25/50FT FLAT FABRIC WEAVE HOSE
- WITH HOSE CONNECTORS



425FPH

- 25/50FT FLAT PVC HOSE
- WITH HOSE CONNECTORS



325P2H

- 25/50FT PVC TWO COLORS HOSE
- SMALL HOLES FOR SPRINKLER/SOAKER FUNCTION
- THREE-TUBE HOSE WITH CONNECTOR & END CAP



ELECTRONIC WATER TIMER 1" & 3/4" TAP CONNECT



WT-218

- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- **RUN TIME:**
1/3/5/10/15/20/30/60/90/120MINS
- **FREQUENCY:**
1/2/3/4/6/8/12/24/48/72HRS/WEEK



WT-228

- LCD DISPLAY
- EASY PROGRAM SETTING
- **RUN TIME:**
1~479MINS
- **FREQUENCY:**
24HRS/2nd/3rd/7th



WT-238

- LCD DISPLAY
- 4 INDEPENDENT PROGRAMS SETTING
- **RUN TIME:**
1~299MINS
- **FREQUENCY:**
1/2/3/4/6/8/12HRS/1/2/3/4/5/6/7DAYS



SW-128

- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- **RUN TIME:**
1/3/5/10/15/20/30/60/90/120MINS
- **FREQUENCY:**
1/2/3/4/6/8/12/24/48/72HRS/WEEK



WT-058

- LCD DISPLAY
- WIDE PROGRAM SETTING
- **RUN TIME:**
1~199MINS
- **FREQUENCY:**
1/2/3/4/6/8/12HRS/1/2/3/4/5/6/7DAYS



WT-068

- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- **RUN TIME:**
1/3/5/10/15/20/30/60/90/120MINS
- **FREQUENCY:**
1/2/3/4/6/8/12/24/48/72HRS/WEEK



WT-078

- LCD DISPLAY
- WIDE PROGRAM SETTING
- **RUN TIME:**
1~199MINS
- **FREQUENCY:**
1/2/3/4/6/8/12HRS/1/2/3/4/5/6/7DAYS



WT-098

- WITH TWO OUTLETS
- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- **RUN TIME:**
1/3/5/10/15/20/30/60/90/120MINS
- **FREQUENCY:**
1/2/3/4/6/8/12/24/48/72HRS/WEEK



WT-028

- WITH TWO OUTLETS
- LCD DISPLAY
- 2 INDEPENDENT PROGRAMS SETTING
- **RUN TIME:**
1~199MINS
- **FREQUENCY:**
1/2/3/4/6/8/12HRS/1/2/3/4/5/6/7DAYS

MECHANICAL WATER TIMER 3/4" TAP CONNECT



WT-118

- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- PATENT BATTERY COMPARTMENT DESIGN
- **RUN TIME:**
1/3/5/10/15/20/30/60/90/120MINS
- **FREQUENCY:**
1/2/3/4/6/8/12/24/48/72HRS/WEEK



WT-038

- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- **RUN TIME:**
1/3/5/10/15/20/30/60/90/120MINS
- **FREQUENCY:**
1/2/3/4/6/8/12/24/48/72HRS/WEEK



WT-018

- SINGLE KNOB FOR EASY SETTING
- **RUN TIME:**
1/2/3/5/7/10/15/20/25/30/45/60/75/90/120/150/180MINS
- **FREQUENCY:**
6/8/12/24HRS/2/3/7DAYS



WT-048

- LCD DISPLAY
- EASY PROGRAM SETTING
- **RUN TIME:**
1~199MINS
- **FREQUENCY:**
1/2/3/4/6/8/12HRS/1/2/3/4/5/6/7DAYS



ELECTRONIC MISTING WATER TIMER 1" & 3/4" TAP CONNECT



WT-218M

- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- **RUN TIME:**
5/10/20/30SECS/1/2/5/15/30/60MINS
- **FREQUENCY:**
30SECS/1/2/3/5/10/30/60/MINS/2/6/24HRS



WT-068M

- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- **RUN TIME:**
5/10/20/30SECS/1/2/5/15/30/60MINS
- **FREQUENCY:**
30SECS/1/2/3/5/10/30/60/MINS/2/6/24HRS









SW-128M

- ROTARY KNOB FOR EASY SETTING
- DELAY RUN TIME FUNCTION
- **RUN TIME:**
5/10/20/30SECS/1/2/5/15/30/60MINS
- **FREQUENCY:**
30SECS/1/2/3/5/10/30/60/MINS/2/6/24HRS

MECHANICAL WATER TIMER

- ▶ Single Outlet
- ▶ 0~8 bar(0-120 psi)
- ▶ 3/4" Inlet Size
- ▶ 2PCS 1.5V (AA) Alkaline Batteries






	MODEL	DISPLAY	MANUAL WATERING	RUN TIME	FREQUENCY	RESET
WT-018		Rotary Knob	ON- pre-set 30 mins. OFF & OK-turn off any time.	1/2/3/5/7/10/15/20/ 25/30/45/60/75/90/ 120/150/180MINS	7 options	Turn Frequency dial to "RESET"
WT-038		Rotary Knob & Delay for 1-11hrs	Run Time Area ON- pre-set 30 mins. OFF- turn off any time.	1/3/5/10/15/20/ 30/60/90/120MINS	11 options	Turn Frequency dial to "RESET"
WT-118			Run Time Area ON- pre-set 30 mins. OFF- turn off any time.	1/3/5/10/15/20/ 30/60/90/120MINS	11 options	Turn Frequency dial to "RESET"
WT-138		Rotary Knob & No Delay Function	ON- pre-set 30 mins. OFF-turn off any time.	3/5/10/15MINS 5/10/20/30MINS 10/20/30MINS 15/30/60MINS	4 options	No "RESET" Turn the knob to preferable Run Time and Frequency
WT-158			Run Time Area ON- pre-set 30 mins. OFF- turn off any time.	1/3/5/10/15/20/ 30/60/90/120MINS	11 options	Turn Frequency dial to "RESET"
WT-048		LCD	ON- pre-set 10 mins OFF-turn off any time.	1~199MINS	14 options	Press and hold "MENU" to "RESET"

REMARKS:

FREQUENCY	4 options: 12/24/48HRS/WEEK
	7 options: 6/8/12/24HRS/2/3/7DAYS
	11 options: 1/2/3/4/6/8/12/24/48/72HRS/WEEK
	14 options: 1/2/3/4/6/8/12HRS/1/2/3/4/5/6/7DAYS(Flexible to pick the watering days of a week)

ELECTRONIC WATER TIMER

- ▶ 1" & 3/4"
- ▶ 0.5~12 bar (8~174 psi)

MODEL	DISPLAY	MANUAL WATERING	RUN TIME	FREQUENCY	RESET	BATTERY
WT-068	 Rotary Knob &  Delay for 1-11hrs	Run Time Area ON- pre-set 30 mins. OFF- turn off any time.	1/3/5/10/15/20/ 30/60/90/120MINS	11 options	Turn Frequency dial to "RESET"	1PC 9V Alkaline battery
SW-128		Run Time Area ON- pre-set 30 mins. OFF- turn off any time.	1/3/5/10/15/20/ 30/60/90/120MINS	11 options	Turn Frequency dial to "RESET"	1PC 9V Alkaline battery
WT-218		Run Time Area ON- pre-set 30 mins. OFF- turn off any time.	1/3/5/10/15/20/ 30/60/90/120MINS	11 options	Turn Frequency dial to "RESET"	2PCS 1.5V (AA) Alkaline batteries
WT-228	 LCD	ON- pre-set 30 mins (Manual:1-59 mins, then OK to confirm.) OFF- turn off any time.	1~479MINS	4 options	Hold "◀ / ▶" for quick setting	2PCS 1.5V (AA) Alkaline batteries
WT-238		ON- pre-set 30 mins (Manual:1-59 mins, then OK to confirm.) OFF- turn off any time.	1~299MINS	As demand (Max.4 programs a day)	Hold "◀ / ▶" for quick setting	2PCS 1.5V (AA) Alkaline batteries
WT-258		ON- pre-set 30 mins (Manual:1-59 mins, then OK to confirm.) OFF- turn off any time.	1~239MINS	14 options	Hold "◀ / ▶" for quick setting	2PCS 1.5V (AA) Alkaline batteries
WT-058		ON- pre-set 30 mins (Manual:1-199 mins, then OK to confirm.) OFF- turn off any time.	1~199MINS	14 options	Press and hold "MENU" to reset program	1PC 9V Alkaline battery
WT-078		ON- pre-set 30 mins (Manual:1-199 mins, then OK to confirm.) OFF- turn off any time.	1~199MINS	14 options	Press and hold "MENU" to reset program	1PC 9V Alkaline battery
WT-028 TWO OUTLETS		Run Time Area ON- pre-set 30 mins (Manual:1-199 mins, then OK to confirm.) OFF- turn off any time.	1~199MINS	14 options	Press and hold "MENU" to reset program	1PC 9V Alkaline battery
WT-098 TWO OUTLETS	 Rotary Knob  Delay for 1-11hrs	Run Time Area ON- pre-set 30 mins. OFF- turn off any time.	1/3/5/10/15/20/ 30/60/90/120MINS	11 options	Turn Frequency dial to "RESET"	1PC 9V Alkaline battery

REMARKS:

FREQUENCY	4 options: 24HRS/2nd/3rd/7th
	11 options: 1/2/3/4/6/8/12/24/48/72HRS/WEEK
	14 options: 1/2/3/4/6/8/12HRS/1/2/3/4/5/6/7DAYS(Flexible to choose the watering days of a week)

ITEMS WITH ★ ALSO HAVE MISTING MODEL: WT-068M/SW-128M/WT-218M

RUN TIME:5/10/20/30SECS/1/2/5/15/30/60MINS

FREQUENCY | 11 options: 30SECS/1/2/3/5/10/30/60MINS/2/6/24HRS



www.kanz.com.tw



YI ZUO ENT. CO., LTD.

No.57, Ln. 466, Sec. 9, Xiangshang Rd., Wuqi Dist.,
Taichung City 43547, Taiwan

TEL: 886-4-26393297(Rep.) **FAX:** 886-4-26302509

EMAIL: kanz.tw@gmail.com **VAT NO.:** 96915431

